AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q94483

Application No.: 10/576,102

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the

application:

LISTING OF CLAIMS:

1. (currently amended): Fluid product dispensing device comprising a reservoir (10)

containing the fluid product, a dispensing unit (20) to dispense the product contained in the said

reservoir (10), and a dispensing head (30) to manually actuate the said dispensing unit (20),

wherein the reservoir (10) is a multifunction reservoir made in a single piece and comprising-at

least one of the following elements:

(a) at least one orifice (15) adapted to hold at least one filter (50) to filter air entering

inside the reservoir (10) whenever the dispensing unit (20) is actuated; and

(b) a neck seal (18) over moulded on the neck (19) of the reservoir (10) at least a first

radial projection cooperating with the dispensing head to prevent the head from being torn off.

2. (currently amended): Device according to claim 1, in which the reservoir also

comprises at least a first radial projection (11) cooperating with the dispensing head (30) to

prevent the head (30) from being torn off a neck seal which is over moulded on a neck of the

reservoir.

3. (currently amended): Device according to claim-21, in which the reservoir (10) also

comprises at least one second radial projection (12) cooperating with the dispensing head (30) to

define a stop with the head (30) during actuation thus defining the actuation profile of the

3

AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q94483

Application No.: 10/576,102

dispensing device, the at least one second radial projection (12) being at an axial spacing from the at least one first radial projection (11).

4. (previously presented): Device according to claim 1, in which the at least one filter

(50) received at the at least one orifice (15) is snap fitted, welded or over moulded on the

reservoir (10).

5. (previously presented): Device according to claim 1, in which the at least one orifice

(15) adapted to hold the at least one filter (50) is made in a sidewall of the reservoir (10).

6. (currently amended): Device according to claim 12, in which the reservoir (10) is

made by injection blow moulding of a synthetic material, such as a thermoplastic material.

7. (currently amended): Device according to claim-12, in which the over moulded neck

seal (18) is an injected thermoplastic elastomer material (TPE), the reservoir (10) and the over

moulded seal (18) being made by dual injection blow moulding.

8. (currently amended): Device according to claim-12, in which the upper radial surface

of the reservoir (10) comprises a reception profile (17) adapted to hold the over moulded seal

(18).

9. (previously presented): Device according to claim 1, wherein the dispensing unit is a

pump or a valve.

4

1 (/ 1	1 1
10.	(cance)	led i
10.	\ Carro	

11. (currently amended): Device according to claim—10_1, wherein the reservoir is a one-piece integral construction and the orifice is formed in the one-piece integral construction.

```
12. (canceled).
```

- 13. (currently amended): A fluid product dispensing device comprising:
- a reservoir containing a fluid product;
- a dispensing unit that, when actuated, dispenses the fluid product;
- a dispensing head to actuate the dispensing unit;

wherein the reservoir is a one-piece integral construction and comprises at least one of the following elements:

- (a) at least one orifice formed in the one-piece integral construction and adapted to hold at least one filter to filter air entering inside the reservoir, and
- (b) a neck seal formed by over moulding on the neck of the reservoir at least a first radial projection cooperating with the dispensing head to prevent the head from being torn off.
 - 14. (canceled).

15. (canceled).

AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q94483

Application No.: 10/576,102

16. (new): The device according to claim 1, wherein the reservoir comprises a neck and

wherein the first radial projection is at a bottom of the neck or below the neck of the reservoir.

17. (new): The device according to claim 13, wherein the reservoir comprises a neck

and wherein the first radial projection is at a bottom of the neck or below the neck of the

reservoir.

6